

BATTLETECH™

BATTLEMech RECORD SHEET

MECH DATA

Type: Ostsol OTL-8E

Movement Points:

Walking: 5

Running: 8

Jumping: 0

Engine Type: 300 XL

Tonnage: 60

Tech Base: Inner Sphere

Rules Level: Standard

Role: Skirmisher

WARRIOR DATA

Name: _____

Gunnery Skill: _____ Piloting Skill: _____

| | | | | | | |
|-----------------|---|---|---|----|----|------|
| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |

Weapons & Equipment Inventory

(hexes)


| Qty | Type | Loc | Ht | Dmg | Min | Sht | Med | Lng |
|-----|----------------------|-----|----|--------|-----|-----|-----|-----|
| 1 | Large X-Pulse Laser | LT | 14 | 9 [P] | — | 5 | 10 | 15 |
| 1 | Medium X-Pulse Laser | LT | 6 | 6 [P] | — | 3 | 6 | 9 |
| | Laser | | | | | | | |
| 1 | Large X-Pulse Laser | RT | 14 | 9 [P] | — | 5 | 10 | 15 |
| 1 | Medium X-Pulse Laser | RT | 6 | 6 [P] | — | 3 | 6 | 9 |
| | Laser | | | | | | | |
| 2 | ER Small Laser (R) | CT | 2 | 3 [DE] | — | 2 | 4 | 5 |

BV: 1,552



ARMOR DIAGRAM

Ferro-Fibrous



CRITICAL TABLE

Left Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Double Heat Sink
- Double Heat Sink

- Double Heat Sink
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again

Left Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

- Large X-Pulse Laser
- Large X-Pulse Laser
- Medium X-Pulse Laser
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous

Left Leg

- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again

Head

- Life Support
- Sensors
- Cockpit
- Ferro-Fibrous
- Sensors
- Life Support

Center Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Compact Gyro
- Compact Gyro
- XL Fusion Engine

- XL Fusion Engine
- XL Fusion Engine
- ER Small Laser (R)
- ER Small Laser (R)
- Ferro-Fibrous
- Ferro-Fibrous

Engine Hits
Gyro Hits
Sensor Hits
Life Support

Right Arm

- Shoulder
- Upper Arm Actuator
- Lower Arm Actuator
- Hand Actuator
- Double Heat Sink
- Double Heat Sink

- Double Heat Sink
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Ferro-Fibrous
- Roll Again

Right Torso

- XL Fusion Engine
- XL Fusion Engine
- XL Fusion Engine
- Double Heat Sink
- Double Heat Sink
- Double Heat Sink

- Double Heat Sink
- Double Heat Sink
- Double Heat Sink
- Large X-Pulse Laser
- Large X-Pulse Laser
- Medium X-Pulse Laser

Right Leg


- Hip
- Upper Leg Actuator
- Lower Leg Actuator
- Foot Actuator
- Roll Again
- Roll Again



Damage Transfer Diagram

INTERNAL STRUCTURE DIAGRAM

Standard Structure



HEAT DATA

| Heat Level* | Effects | Double Heat Sinks: 17 (34) |
|-------------|------------------------|----------------------------|
| 30 | Shutdown | |
| 28 | Ammo Exp, avoid on 8+ | |
| 26 | Shutdown, avoid on 10+ | |
| 25 | -5 Movement Points | |
| 24 | +4 Modifier to Fire | |
| 23 | Ammo Exp, avoid on 6+ | |
| 22 | Shutdown, avoid on 8+ | |
| 20 | -4 Movement Points | |
| 19 | Ammo Exp, avoid on 4+ | |
| 18 | Shutdown, avoid on 6+ | |
| 17 | +3 Modifier to Fire | |
| 15 | -3 Movement Points | |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | -2 Movement Points | |
| 8 | +1 Modifier to Fire | |
| 5 | -1 Movement Points | |